

Declaration of Performance No

KT 77/2/CPR



| | |
|--|---|
| Unique identification code of the product-type: | AVAL KT 77 (2020) |
| Intended use or uses of the construction product: | For external walls, ceilings and posts. For internal walls, ceilings, posts and partition walls. |
| Manufacturer: | ATLAS Sp. z o.o. Św. Teresy 105, 91-222 Łódź phone: (042) 631 89 45 www.atlas.com.pl |
| System or systems of assessment and verification of constancy of performance: | System 3 |
| Harmonized standard: | EN 15824:2017 (PN-EN 15824:2017-07) Notified certification body No. 0767 MPA Dresden GmbH |

Declared performance:

| Essential characteristics | Performance |
|---|-------------------------|
| Water vapour permeability | V ₂ - medium |
| Water absorption | W ₂ - medium |
| Adhesion | 0,35 MPa |
| Durability | NPD |
| Thermal conductivity coefficient | NPD |
| Reaction to fire <ul style="list-style-type: none"> • For renders up to 2.0 mm • For renders up to 1.2 mm | A2-s1, d0 B-s1, d0 |
| Hazardous substances | NPD |

The performance of the product is in conformity with the declared performance range. This declaration of performance is issued in accordance to EU Regulation no. 305/2011 under sole responsibility of the manufacturer listed above.

Signed for and on behalf of the manufacturer by: Patrycja Stasiak in Łódź, 05.03.2020 (ed. 1)

ATLAS sp. z o.o.
p.o. Dyrektor ds. Jakości

Patrycja Stasiak

..... Patrycja Stasiak